

Peroxide Multi Surface Cleaner and Disinfectant

CLASSIFICATION

Multi-surface disinfectant, glass and surface cleaner. For Hospital, Healthcare, Commercial, Institutional, Industrial Use

PRODUCT DESCRIPTION

Broad Spectrum Disinfectant – Multi-Surface Cleaner – Degreaser – Deodorizes – Cuts through tough stains while leaving a streak-free shine

- Disinfects and deodorizes by killing common germs and controlling their odors
- Antibacterial, Germicidal, and Fungicidal
- Cleans to a streak-free shine glass, windows, mirrors, faucets, counter-tops, stainless steel and shiny surfaces with no dulling residue and no filming
- Cleans tough messes, removes food stains, removes bathroom dirt and stains and is tough on soap scum and grease
- Deodorizes and has a clean, fresh scent

USE

This product is recommended for cleaning and disinfecting of washable hard, non-porous environmental surfaces including:

- Non-food contact counter tops, sinks, exterior surfaces of refrigerators, coolers, freezers, stovetops, appliances, non-food contact equipment, shelves, racks and carts
- Telephones and computer keyboards
- Tables, chairs, desks, bedframes, walls, cabinets, doorknobs, and garbage cans
- Highchairs
- Shower stalls, tubs, tiles, shower doors, shower curtains, shower fixtures, restroom fixtures, exterior surfaces of toilets, urinals, restroom floors
- Windows and mirrors
- Fiberglass sinks, tubs and showers
- Floors (tile, finished)
- Vinyl, painted surfaces, plastic surfaces, glass, glazed tile, linoleum, plastic (such as polyethylene, polypropylene, polyvinylchloride), glazed porcelain, stainless steel and glass

This product is recommended for use as a non-food contact sanitizer.

This product is not to be used as a terminal sterilant / high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical devices prior to sterilization or high-level disinfection.

This product is a hospital-use disinfectant, multi-surface cleaner and odor counteractant designed for daily general cleaning and disinfecting of hard, non-porous environmental surfaces.

Areas of Use: School and colleges, veterinary clinics and animal life science laboratories, animal care and farm premise locations, industrial facilities, dietary areas, beverage and food processing plants, restaurants, hotels, motels, office buildings, recreational facilities, medical facilities, hospitals, kitchens, nursing homes, assisted living facilities, medical and dental offices, retail and wholesale establishments, cruise ships, casinos, correctional facilities, athletic facilities, health clubs.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use as a Multi-Surface Cleaner: Dilute at 0.5 - 6 fl. oz./gal. Apply with a cloth, mop, sponge, coarse trigger spray, or by immersion. Rinsing is not necessary on non-food contact surfaces. Do not use this product to clean glassware, dishes, or silverware. Rinse food contact surfaces with a potable water rinse prior to reuse.

Non-Food Contact One-Step Cleaner / Sanitizer kills 99.9% in 3 minutes at 1:64 dilution (2 fl. oz./gal) in 400 ppm hard water modified in the presence of 5% fetal bovine serum against the following pathogenic bacteria.

Staphylococcus aureus (ATCC 6538)
Enterobacter aerogenes (ATCC 13048)

Non-Food Contact One Step Cleaner / Sanitizer kills 99.9% in 90 seconds at 1:32 dilution (4 fl. oz./gal) in 400 ppm hard water modified in the presence of 5% fetal bovine serum against the following pathogenic bacteria.

Staphylococcus aureus (ATCC 6538) *Escherichia coli* (ATCC 11229)
Enterobacter aerogenes (ATCC 13048) *Pseudomonas aeruginosa* (ATCC 15442)
Salmonella enterica (ATCC 10708) *Enterococcus faecalis* (ATCC 29212)

Non-Food Contact One Step Cleaner / Sanitizer in 90 seconds at 1:21.3 dilution (6 fl. oz./gal) in 200 ppm hard water modified in the presence of 5% fetal bovine serum against the following pathogenic bacteria.

Listeria monocytogenes (ATCC 7644)

Non-Food Contact Sanitizer: Add 4 - 6 fl. oz./gal to sanitize hard, non-porous, non-food contact surfaces against:

Staphylococcus aureus (ATCC 6538) *Escherichia coli* (ATCC 11229)
Enterobacter aerogenes (ATCC 13048) *Pseudomonas aeruginosa* (ATCC 15442)
Salmonella enterica (ATCC 10708) *Enterococcus faecalis* (ATCC 29212)

Add 6 fl. oz./gal in 200 ppm hard water to sanitize hard, non-porous, non-food contact surfaces against *Listeria monocytogenes* (ATCC 7644)

Pre-clean heavily soiled areas. Apply sanitizer use-solution with a cloth, mop, sponge, coarse sprayer or by immersion. Treated surfaces must remain wet for 90 seconds. Wipe dry with a sponge, mop, or cloth or allow to air dry.

For use as a Multi-Surface Cleaner / Disinfectant or Restroom Cleaner / Disinfectant: Dilute according to use directions. Pre-clean heavily soiled areas. Apply Use Solution by coarse trigger sprayer to hard, non-porous surfaces. Spray 6-8 inches from the surface; making sure to wet surfaces thoroughly. All surfaces must remain wet for the required time indicated in the directions for use. Wipe surfaces or allow to air dry. Rinsing is not necessary on non-food contact surfaces. Do not use this product to clean or disinfect glassware, dishes, or silverware. Rinse food contact surfaces with a potable water rinse prior to reuse.

BACTERICIDAL kills at 1:32 dilution (4 fl. oz./gal) in 400 ppm hard water against the following pathogenic bacteria modified in the presence of 5% blood serum.

In 5 minutes:

Pseudomonas aeruginosa (ATCC 15442)
Staphylococcus aureus (ATCC 6538)
Salmonella enterica (ATCC 10708)
Klebsiella pneumoniae (ATCC 4352)
Shigella flexneri (ATCC 9380)
Streptococcus pyogenes (ATCC 19615)
Shigella dysenteriae (ATCC 29026)
Listeria monocytogenes (ATCC 7644)
Bordetella pertussis (ATCC 12743)

Antibiotic-Resistant Bacteria:

Staphylococcus aureus (VISA) (ATCC 700788)
Staphylococcus aureus (CA-MRSA) (ATCC BAA-1683)
Staphylococcus aureus (MRSA) (ATCC 33592)
Klebsiella pneumoniae (Carbapenemase producer) (KPC) (ATCC BAA-1705)
Enterococcus faecalis (VRE) (ATCC 51299)

In 3 minutes:

Proteus mirabilis (ATCC 7002)

BACTERICIDAL kills at 1:21.3 dilution (6 fl. oz./gal) in 200 ppm hard water against the following pathogenic bacteria modified in the presence of 5% blood serum.

In 5 minutes:

Escherichia coli (O157:H7) (ATCC 43895)

Enterobacter aerogenes (ATCC 13048)

In 3 minutes:

Pseudomonas aeruginosa (ATCC 15442)

Staphylococcus aureus (ATCC 6538)

Salmonella enterica (ATCC 10708)

Klebsiella pneumoniae (ATCC 4352)

Serratia marcescens (ATCC 14756)

Bordetella bronchiseptica (ATCC 31437)

Antibiotic-Resistant Bacteria:

Staphylococcus aureus (CA-MRSA) (BAA-1683)

Staphylococcus aureus (MRSA) (ATCC 33592)

For use as a Virucide*: Dilute according to use directions. Pre-clean heavily soiled areas. Apply Use Solution by coarse trigger sprayer to hard, non-porous environmental surfaces. Spray 6-8 inches from the surface; making sure to wet surfaces thoroughly. All surfaces must remain wet for the required time indicated in the directions for use. Wipe surfaces or allow to air dry.

VIRUCIDAL* kills at 1:21.3 (6 fl. oz./gal) diluted in 200 ppm hard water against the following viruses modified in the presence of 5% blood serum.

In 45 seconds:

*Norovirus (Feline Calicivirus ATCC VR-782)

*Murine Norovirus (Strain S99)

In 1 minute:

*Influenza B Virus (ATCC VR-1535)

In 3 minutes:

*Influenza A Virus H1N1

*Rhinovirus Type 37 (ATCC VR-1147)

VIRUCIDAL* kills at 1:32 dilution (4 fl. oz./gal) against the following viruses modified in the presence of 5% blood serum.

In 1 minute diluted in 400 ppm hard water:

*HIV Type 1

In 2 minutes diluted in 400 ppm hard water:

*Norovirus (Feline Calicivirus ATCC VR-782)

*Murine Norovirus (Strain S99)

In 3 minutes diluted in 200 ppm hard water:

*Herpes Simplex Virus Type 1

In 5 minutes diluted in 400 ppm hard water:

*Adenovirus type 5 (ATCC VR-5)

*Influenza A Virus H1N1

*Rhinovirus Type 37 (ATCC VR-1147)

*Poliovirus (chat strain)

*Herpes Simplex Virus Type 2 (ATCC VR-734)

*Hepatitis B Virus

*Respiratory Syncytial Virus (ATCC VR-26)

*Vaccinia Virus (ATCC VR-119)

*Human Coronavirus (SARS) (ATCC VR-740)

*Rotavirus (Strain WA)

*Canine Parvovirus (ATCC VR-2017)

*Canine Distemper Virus (ATCC VR-128)

*Newcastle Disease Virus (ATCC VR-108)

*Herpes Simplex Virus Type 1 (ATCC VR-733)

*Influenza B Virus (ATCC VR-1535)

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 AND HBV ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS:

Personal Protection: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

Contact Time: Allow surface to remain wet for 1 minute to kill HIV-1, 5 minutes to kill HBV.

Disposal of Infectious Material: Blood, body fluids, cleaning materials and other clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

FUNGICIDAL kills in 5 minutes at 1:32 dilution (4 fl. oz./gal) in 400 ppm hard water against the following fungi modified in the presence of 5% blood serum, per the following contact times.

Candida albicans (ATCC 10231)

VETERINARY OFFICES: Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Saturate surfaces with a use-solution 1:32 (4 fl. oz./gal) for a period of 5 minutes. Wipe or allow to air dry. Saturate all animal handling and restraining equipment as well as forks, shovels, and scrapers used to remove litter and manure. Rinse all surfaces that come in contact with food, including equipment used for feeding and watering, with potable water before reuse. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

DISINFECTION AND DEODORIZING OF ANIMAL HOUSING FACILITIES (BARN, KENNELS, CAGES, HUTCHES, ETC): Remove animals and feed from facilities. Remove litter, waste matter, and gross soils. Empty all troughs, rack and other feeding and watering equipment. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure. Saturate surfaces with a use-solution (4-6 fl. oz./gal) for a period of 5 minutes. Apply use-solution by coarse trigger sprayer to hard, non-porous surfaces. Spray 6-8 inches from the surface; making sure to wet surfaces thoroughly. See list of viruses under disinfection directions for use. Ventilate buildings and other closed spaces. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse. Allow to air dry before reintroducing animals.

EPA Reg. No. 1677-238

Consult your Ecolab Specialist or call 1-800-35 CLEAN (352-5326) for specific use directions, service, or additional information.

PHYSICAL & CHEMICAL PROPERTIES

Appearance: Liquid
Color: Clear, Yellow
Odor: Perfumes, Fragrances
pH: 0.5 - 1.5, 100%

ACTIVE INGREDIENT: Hydrogen Peroxide 8.0%
OTHER INGREDIENTS: 92.0%
TOTAL: 100.0%

PACKAGING & PRODUCT NUMBERS

Size	Product Number
1 - 2.0 US Gal (7.57 L)	6100693 (Oasis)
2 - 2 L (0.53 US Gal)	6100791 (Oasis Pro)
2 - 44 FL OZ (1.3 L)	6100792 (QC)
1 - 2.0 US Gal (7.57 L)	6100793 (Quik Fill)